



OOP with Java

Homework 02: Arrays and I/O

Thomas Weise · 汤卫思

tweise@hfu.edu.cn · <http://iao.hfu.edu.cn>

Hefei University, South Campus 2
Faculty of Computer Science and Technology
Institute of Applied Optimization
230601 Shushan District, Hefei, Anhui, China
Econ. & Tech. Devel. Zone, Jinxiu Dadao 99

合肥学院 南艳湖校区/南2区
计算机科学与技术系
应用优化研究所
中国 安徽省 合肥市 蜀山区 230601
经济技术开发区 锦绣大道99号

- 1 Introduction
- 2 Tasks



website

- We want to practice I/O, i.e., reading of input and writing of output data
- We want to practice working with arrays
- This homework is comprised of one task
- Send me a zip archive named `hw02_[your_student_id].zip` (where `[your_student_id]` is replaced with your student id) with one answer-folder for each homework task (names `hw02-1`)

- Write a Java program which

- Write a Java program which:
 - Prints a greeting to the user to `System.err`, stating that it is a program for adding matrices

- Write a Java program which:
 - Prints a greeting to the user to `System.err`, stating that it is a program for adding matrices
 - Asks the user for the “width” of the matrices via `System.err` (and reads the width as `int` from the input)

- Write a Java program which:
 - Prints a greeting to the user to `System.err`, stating that it is a program for adding matrices
 - Asks the user for the “width” of the matrices via `System.err` (and reads the width as `int` from the input)
 - Asks the user for the “height” of the matrices via `System.err` (and reads the height as `int` from the input)

- Write a Java program which:
 - Prints a greeting to the user to `System.err`, stating that it is a program for adding matrices
 - Asks the user for the “width” of the matrices via `System.err` (and reads the width as `int` from the input)
 - Asks the user for the “height” of the matrices via `System.err` (and reads the height as `int` from the input)
 - Allocates a two-dimensional array of type `double[height][width]`

- Write a Java program which:
 - Prints a greeting to the user to `System.err`, stating that it is a program for adding matrices
 - Asks the user for the “width” of the matrices via `System.err` (and reads the width as `int` from the input)
 - Asks the user for the “height” of the matrices via `System.err` (and reads the height as `int` from the input)
 - Allocates a two-dimensional array of type `double[height][width]`
 - Reads the `height*width` numbers row by row into the array

- Write a Java program which:
 - Prints a greeting to the user to `System.err`, stating that it is a program for adding matrices
 - Asks the user for the “width” of the matrices via `System.err` (and reads the width as `int` from the input)
 - Asks the user for the “height” of the matrices via `System.err` (and reads the height as `int` from the input)
 - Allocates a two-dimensional array of type `double[height][width]`
 - Reads the `height*width` numbers row by row into the array
 - Repeats the above step for the second matrix

- Write a Java program which:
 - Prints a greeting to the user to `System.err`, stating that it is a program for adding matrices
 - Asks the user for the “width” of the matrices via `System.err` (and reads the width as `int` from the input)
 - Asks the user for the “height” of the matrices via `System.err` (and reads the height as `int` from the input)
 - Allocates a two-dimensional array of type `double[height][width]`
 - Reads the `height*width` numbers row by row into the array
 - Repeats the above step for the second matrix
 - Allocates a new `double[][]` two-dimensional array of proper size to receive the result

- Write a Java program which:
 - Prints a greeting to the user to `System.err`, stating that it is a program for adding matrices
 - Asks the user for the “width” of the matrices via `System.err` (and reads the width as `int` from the input)
 - Asks the user for the “height” of the matrices via `System.err` (and reads the height as `int` from the input)
 - Allocates a two-dimensional array of type `double[height][width]`
 - Reads the `height*width` numbers row by row into the array
 - Repeats the above step for the second matrix
 - Allocates a new `double[][]` two-dimensional array of proper size to receive the result
 - Adds the two matrices that were read and stores the result in the freshly allocated array

- Write a Java program which:
 - Prints a greeting to the user to `System.err`, stating that it is a program for adding matrices
 - Asks the user for the “width” of the matrices via `System.err` (and reads the width as `int` from the input)
 - Asks the user for the “height” of the matrices via `System.err` (and reads the height as `int` from the input)
 - Allocates a two-dimensional array of type `double[height][width]`
 - Reads the `height*width` numbers row by row into the array
 - Repeats the above step for the second matrix
 - Allocates a new `double[][]` two-dimensional array of proper size to receive the result
 - Adds the two matrices that were read and stores the result in the freshly allocated array
 - Prints the resulting matrix row by row to `System.out`

- Write a Java program which:
 - Prints a greeting to the user to `System.err`, stating that it is a program for adding matrices
 - Asks the user for the “width” of the matrices via `System.err` (and reads the width as `int` from the input)
 - Asks the user for the “height” of the matrices via `System.err` (and reads the height as `int` from the input)
 - Allocates a two-dimensional array of type `double[height][width]`
 - Reads the `height*width` numbers row by row into the array
 - Repeats the above step for the second matrix
 - Allocates a new `double[][]` two-dimensional array of proper size to receive the result
 - Adds the two matrices that were read and stores the result in the freshly allocated array
 - Prints the resulting matrix row by row to `System.out`
- The answer-folder for this task contains the complete Eclipse project, including source code (.java) and compiled (.class) file.

谢谢

Thank you

Thomas Weise [汤卫思]
tweise@hfu.edu.cn
<http://iao.hfu.edu.cn>

Hefei University, South Campus 2
Institute of Applied Optimization
Shushan District, Hefei, Anhui,
China



Caspar David Friedrich, "Der Wanderer über dem Nebelmeer", 1818
http://en.wikipedia.org/wiki/Wanderer_above_the_Sea_of_Fog